The 33rd International Symposium on Lattice Field Theory (Lattice 2015)



Contribution ID: 92

Type: Talk

Hadronic Light by Light Contributions to the Muon Anomalous Magnetic Moment With Near Physical Pions

Tuesday, 14 July 2015 14:00 (20 minutes)

The current measurement of muonic g-2 disagrees with the theoretical calculation by about 3 standard deviations. Hadronic vacuum polarization (HVP) and hadronic light by light (HLbL) are the two types of processes that contribute most to the theoretical uncertainty. The current value for HLbL is still given by a model . In this talk, I will describe results from a first-principles lattice calculation with a 171MeV pion in a box of 4.6 fm extent. Our current numerical strategies, including noise reduction techniques, evaluating the HLbL amplitude at zero external momentum transfer, and important remaining challenges, in particular those associated with finite volume effects, will be discussed.

Primary authors: LEHNER, Christoph (BNL); Mr JIN, Luchang (Columbia University); Prof. HAYAKAWA, Masashi (Nagoya); Prof. CHRIST, Norman (Columbia University); IZUBUCHI, Taku (RIKEN BNL Research Center); Prof. BLUM, Tom (University of Connecticut)

Presenter: Mr JIN, Luchang (Columbia University)

Session Classification: Hadron Structure

Track Classification: Hadron Structure