

a new measurement of the intruder configuration in ^{12}Be

Tuesday, 5 June 2018 11:18 (18 minutes)

A new $^{11}\text{Be}(d,p)^{12}\text{Be}$ transfer reaction experiment was carried out in inverse kinematics at 26.9 MeV/nucleon, with special efforts devoted to the determination of the deuteron target thickness and of the required optical potentials from the present elastic scattering data. In addition, a direct measurement of the cross section for the 02^+ state was realized by applying an isomer-tagging technique. The s-wave spectroscopic factors of 0.20(0.04) and 0.41(0.11) were extracted for the 01^+ and 02^+ states, respectively, in ^{12}Be . Using these spectroscopic factors, together with the previously reported results for the p-wave components, the single-particle component intensities in the bound 0^+ states of ^{12}Be were deduced, allowing a direct comparison with the theoretical predictions. It is evidenced that the ground-state configuration of ^{12}Be is dominated by the d-wave intruder, exhibiting a dramatic evolution of the intruding mechanism from ^{11}Be to ^{12}Be , with a persistence of the $N = 8$ magic number broken.

Summary

Primary authors: Dr LOU, Jianling (Peking University); Dr CHEN, Jie (Argonne lab)

Presenter: Dr LOU, Jianling (Peking University)

Session Classification: Session 6