Contribution ID: 197

Type: Parallel Session Presentation

Nuclear Barnett effect and Nuclear Einstein-de Haas effect

Tuesday, 19 October 2021 20:55 (25 minutes)

Nuclear Barnett effect and Nuclear Einstein-de Haas effect

Hiroyuki Chudo1*, Mamoru Matsuo2,1,3, Sadamichi Maekawa1,2,3, and Eiji Saitoh,14

1Advanced Science Research Center, Japan Atomic Energy Agency, Japan

2Kavli Institute for Theoretical Sciences, University of Chinese Academy of Sciences, People's Republic of China

3Riken Center for Emergent Matter Science (CEMS), Japan

4Department of Applied Physics, The University of Tokyo, Japan

*chudo.hiroyuki@jaea.go.jp

Spin mechanical coupling played a crucial role in developing the quantum mechanics. The coupling between the spin of an electron and mechanical rotation provided the first experimental proof that an electron has an angular momentum i.e., spin by Barnett, and Einstein and de • Haas in 1915 [1, 2]. By using these studies, they were experimentally determined the value of the g factor of an electron to be ~2 prior to the establishment of the modern quantum physics. The Barnett effect is the phenomenon, in which a mechanically rotating magnet is magnetized. The reverse of the Barnett effect is referred to as the Einstein- de • Haas (EdH) effect, in which magnetization generates mechanical rotation of a magnet. These effects have been studied in the electron spin system. We have expanded these effect to the nuclear spin system. We observed the Barnett field, which is the origin of the Barnett effect, by using coil-rotation NMR and NQR method[3, 4]. Now, we are trying to observe the nuclear EdH effect by exploiting the dynamic nuclear polarization.

- [1] S. J. Barnett, Phys. Rev. 6, 239 (1915).
- [2] A. Einstein and W. J. de Haas, Deutsche Physikalische Gesellschaft 17, 152 (1915).
- [3] H. Chudo, et.al., Appl. Phys. Express 7, 063007 (2014).
- [4] H. Chudo, et.al., Phys. Rev. B 103, 174308 (2021).

Primary author: Dr CHUDO, Hiroyuki (Japan Atomic Energy Agency)

Presenter: Dr CHUDO, Hiroyuki (Japan Atomic Energy Agency)

Session Classification: Applications of Nuclear Polarization in other Fields

Track Classification: Parallel Sessions: Applications of Nuclear Polarization in other Fields