

Inclusive Charged Jet R_{AA} and v_2 Analysis




University Grenoble Alpes

University of Tsukuba

RIKEN (JRA)


Takuya Kumaoka



Physics target: Parton Energy loss

Partons deposit energy in the QGP medium.

→ Jet tomography of the QGP



Energy loss

$$\Delta E \propto \hat{q} L^n$$

\hat{q} : transport coefficient

$$\hat{q} = m_D \times \rho \times \sigma$$


m_D : medium mass

ρ : medium density


σ : cross section

L : path length in QGP

Jet suppression mechanism



Collisional
 $\Delta E \propto L$



Radiative
 $\Delta E \propto L^2$


[QGP medium]

Jet measurements help to:

- quantify \hat{q}
- understand suppression mechanism

Study Goal: Jet v_2 and R_{AA} measurement

Jet v_2 measurement enable to measure the jet suppression effect according into QGP matter shape





$$v_2^{\text{jet}} = \frac{1}{\text{Res} \{ \psi_2^{\text{meas}} \}} \frac{\pi N_{in} - N_{out}}{4 N_{in} + N_{out}}$$

N_{in}, N_{out} : Jet yield at in-plane and at out-of-plane


$\text{Res} \{ \psi_2^{\text{meas}} \}$: Event plane resolution

Radiation / Scattering dominant?
 $\rightarrow L^2$ or L



It enables to two kinds of approach for measuring pass length dependency of jet suppression

Analysis flow



Event Plane calculation

Flow vector from detector measurement


$$Q_{n,x} = \sum_i \omega_i \cos n\phi_i$$

$$Q_{n,y} = \sum_i \omega_i \sin n\phi_i$$

(ϕ_i : Track angle, ω_i : multiplicity weight, n: Fourier order)

Event Plane

$$\Psi_{EP,n} = \frac{1}{n} \arctan \frac{Q_{n,y}}{Q_{n,x}}$$





Qn vector Gain calibration

Gain equalization

$$\omega_{ch} = M_i \frac{\langle M_{ref} \rangle}{\langle M_i \rangle}$$

This part is estimated for run-by-run.
This average means the run average.



Equalize gain to uniform the each channel value on the same ring.

Rhian way: As the reference value, average value of 8 ch on a ring is used.

A.Dobrin way: As the reference value, the first ch value is used

Qn vector re-centering calibration



Recentring

$$Q'_n = Q_n - \langle Q_n \rangle$$



This part is esimated for run-by-run.
This average means the run average.

Rhian's way

I still reproduce Alex way results



Calibration of estimated event plane angle between V0C and V0A



$$Q_{n,x} = \sum_i \omega_i \cos n\phi_i$$

$$Q_{n,y} = \sum_i \omega_i \sin n\phi_i$$

$$\Psi_{EP n} = \frac{1}{n} \arctan \frac{Q_{n,y}}{Q_{n,x}}$$

The correlation seems correct.

Event plane angle resolution

$$\mathcal{R}_n^a = \langle \cos(n[\Psi_{EP,n}^a - \Psi_n]) \rangle = \sqrt{\frac{\langle \cos(n[\Psi_{EP,n}^a - \Psi_{EP,n}^b]) \rangle \langle \cos(n[\Psi_{EP,n}^a - \Psi_{EP,n}^c]) \rangle}{\langle \cos(n[\Psi_{EP,n}^b - \Psi_{EP,n}^c]) \rangle}}$$

$$v_2^{\text{jet}} = \frac{1}{\text{Res}\{\psi_2^{\text{meas}}\}} \frac{\pi}{4} \frac{N_{in} - N_{out}}{N_{in} + N_{out}}$$


Ideally, $\Psi_{EP,n}^a - \Psi_{EP,n}^{\text{truth}}$ close to 0.
In that case, \mathcal{R}_n^a close to 1.

V0 sub-detector

(b: TPC $\eta < 0$, c: TPC $\eta > 0$)


TPC sub-detector

(b: V0C, c: V0A)



Both side TPC resolutions are matched. → It is reasonable.

Background p_T distribution (ordinary way)




In HIC, a huge number of particles are produced.

- Signal jets are reconstructed with the background particles.
- Estimate background p_T density (ρ) except for jet area to subtract the background from the signal jets

➔ $\rho = \text{median}(p_{T,i}/A_i)$ A : cluster area, i : cluster id

background p_T for centrality



ρ is considered uniform and determined event by event
→ subtract the background from each jet

➔
$$p_{T,\text{corr}}^{\text{jet}} = p_T^{\text{jet}} - \rho A$$

A : jet area

Local background ρ_T estimation

The soft particle background is **not uniform** for azimuthal angle (φ).

→The background calculation should take the φ dependency into account.



The local rho is estimated using tracks except the leading jet η region. (Because of the statistic problem, it includes the sub-leading jet region.)

In this analysis, a following equation is used.

$$\rho_{ch}(\varphi) = \rho_0 \times \left(1 + 2 \left\{ v_2^{\text{obs}} \cos(2[\varphi - \Psi_{EP,2}]) + v_3^{\text{obs}} \cos(3[\varphi - \Psi_{EP,3}]) \right\} \right)$$



$\Psi_{EP,2}$ and $\Psi_{EP,3}$ are calculated by the Qn vectors.

And ρ_0 , v_2^{obs} , and v_3^{obs} are fitting value.



Local background p_T results


$$\rho_{ch}(\varphi) = \rho_0 \times \left(1 + 2 \left\{ v_2^{obs} \cos(2[\varphi - \Psi_{EP,2}]) + v_3^{obs} \cos(3[\varphi - \Psi_{EP,3}]) \right\} \right)$$



of bins = $\sqrt{N_{track}}$


Soft pT particle v2

$$\rho(\varphi) = \rho_0 \times \left(1 + 2 \left\{ v_2^{\text{obs}} \cos(2[\varphi - \Psi_{\text{EP},2}]) + v_3^{\text{obs}} \cos(3[\varphi - \Psi_{\text{EP},3}]) \right\} \right)$$



For <v2>, LHC18q results close to Run1 results until centrality 40%, but over 50% LHC18q results become smaller. For <v3>, LHC18q results mostly consist with Run1 results.

Evaluation of background fit (δp_T)




δp_T is a gap between integration of background tracks p_T and integration of background function in a random cone area.

We expect the local rho's δp_T should be smaller than the median one.

And in the local rho case, δp_T phi dependency is expected to make small.



The Random cone is created once per event except the leading jet region.

The background δp_T distribution



As expected, the median rho has ϕ dependency and the local rho makes smaller the ϕ dependency. Furthermore, the dispersion of local rho background LHC is more narrow than median rho. And these same tendency is seen in the all centrality regions.

Background pT function fit quality





$$\tilde{\chi}^2 = \left(\sum_{n=0}^i \frac{(p_T^{\text{track}} - p_T^{\text{function}})^2}{p_T^{\text{track}}} \right) / (\# \text{ of bins} - 3)$$

of free parameters (ρ_0, v_2, v_3)

Raw Jet Spectrum


Corrected Raw jet pT distribution (w/o unfolding): $p_T^{raw} - \rho(\phi)A$



Out-Plane jets are more suppressed than In-plane ones for each centrality.

Raw jet v2 (R=0.4)


$$v_2^{\text{jet}} = \frac{1}{\text{Res}\{\psi_2^{\text{meas}}\}} \frac{\pi}{4} \frac{N_{in} - N_{out}}{N_{in} + N_{out}}$$




- Jet v2 distribution peak point become smaller as centrality becomes larger.
- The peak amplitude become larger as centrality becomes larger.

Raw jet v2 (R=0.2)

$$v_2^{\text{jet}} = \frac{1}{\text{Res} \{ \psi_2^{\text{meas}} \}} \frac{\pi N_{in} - N_{out}}{4 N_{in} + N_{out}}$$





Run1 Result (centrality ?)




Value of jet v2 is close to Run1 results. And the shape around 20 – 40 GeV/c is also similar with Run1 results.
 -> Need to increase statistic. (remain LHC18q 3/4, LHC18r, Semi-Central, Central)

Compare With w/ and w/o bkg subtract



pT hard bin


20 bins : [5, 7, 9, 12, 16, 21, 28, 36, 45, 57, 70, 85, 99, 115, 132, 150, 169, 190, 212, 235, 235 ∞]





Plot 2 bins




Scale with cross section and # of generation trial




Jet Energy Scale Shift




Response Matrix (RM)



Original RM:
Scaled and merge RM of each p_T hard bin




Rebin RM



Normarize RM:
Normalize the detector level value
so that the sum of each truth level bin is 1

Next Plan



Backup Slides

Train Problem

About 80% jobs stop with crash (does not specify a bad line)

Processing	processing_progress 4346 total, 1061 done, 3285 error, 0 active, 0 waiting
------------	---

Trace: <https://pcalimonitor.cern.ch/jobs/trace.jsp?pid=2808317260>

Stderr: <https://pcalimonitor.cern.ch/users/download.jsp?view=true&path=%2Falice%2Fcern.ch%2Fuser%2Fa%2Falitrain%2Frecycle%2Falien-job-2808317260%2Fstderr>

Wagon	Status	Memory				Output size	Timing					Merging
		Virtual	Virt. Δ	Resident	RSS Δ		Wall	Wall Δ	CPU	CPU Δ		
Base line stdout stderr stats output	OK	857.5 MB 813 MB +65.82 KB/evt		463.4 MB 487 MB +66.86 KB/evt		log: 10.87 KB .root: 0 B lego_train.root 9.205 KB	41s 32.81ms/evt	41s 32.81ms/evt	34s 27.19ms/evt 82.87%	34s 27.19ms/evt		No output
CDBConnectTask @ stdout stderr stats output	OK	1.079 GB 1.032 GB +64.22 KB/evt	246.9 MB 243.9 MB -1.601 KB/evt	618.6 MB 578.7 MB +65.28 KB/evt	155.2 MB 91.65 MB -1.578 KB/evt	log: 10.83 KB .root: 0 B lego_train.root 5.89 KB	43s 34.65ms/evt	2s 1.84ms/evt	35s 28.39ms/evt 81.93%	1s 1.20ms/evt		No output
MultiSelectionTask @ stdout stderr stats output	OK	1.091 GB 1.044 GB +68.76 KB/evt	12.93 MB 12.05 MB +4.543 KB/evt	626.1 MB 726.9 MB -0.229 MB/evt	7.5 MB 148.2 MB -0.293 MB/evt	log: 14.45 KB .root: 6.809 KB lego_train.root 30.44 KB	44s 35.15ms/evt	1s 0.50ms/evt	36s 28.69ms/evt 81.61%	0s 0.30ms/evt		OK merge dir
JetFinder_charged_AKT_04 @ stdout stderr stats output	OK	1.212 GB 1.161 GB +70.1 KB/evt	123.5 MB 119.5 MB +1.333 KB/evt	700.3 MB 796.8 MB -54.64 KB/evt	74.2 MB 69.88 MB +0.176 MB/evt	log: 17.33 KB .root: 0 B lego_train.root 39.93 KB	54s 43.63ms/evt	11s 8.48ms/evt	46s 36.79ms/evt 84.32%	10s 8.10ms/evt		OK merge dir
JetFinder_charged_KT_04 @ stdout stderr stats output	OK	1.208 GB 1.16 GB +69.34 KB/evt	119.5 MB 118.6 MB +0.575 KB/evt	695.9 MB 659.3 MB +70.5 KB/evt	69.83 MB -67.58 MB +0.298 MB/evt	log: 17.32 KB .root: 0 B lego_train.root 39.94 KB	55s 44.15ms/evt	11s 9ms/evt	46s 37.19ms/evt 84.25%	11s 8.50ms/evt		OK merge dir
RhoNewTask2018 @ stdout stderr stats output	OK	1.226 GB 1.173 GB +70.28 KB/evt	18.46 MB 13.88 MB +0.94 KB/evt	1002 MB 941.6 MB +71.02 KB/evt	307 MB 282.3 MB +0.52 KB/evt	log: 18 KB .root: 6.809 KB lego_train.root 42.57 KB	54s 43.77ms/evt	- -0.37ms/evt	46s 37.03ms/evt 84.59%	- -0.16ms/evt		OK merge dir
RawJetSpectraWithEventPlane2021_R04PtCut5 @ stdout stderr stats output	OK	1.399 GB 1.344 GB +69.98 KB/evt	54.08 MB 55.7 MB -1.632 KB/evt	896.8 MB 954.9 MB -56.56 MB/evt	-180.3 MB -56.56 MB -0.363 MB/evt	log: 161.2 KB .root: 338.4 KB lego_train.root 48.81 MB	1m 13s 59.18ms/evt	9s 6.93ms/evt	1m 4s 51.80ms/evt 87.53%	8s 6.67ms/evt		OK merge dir
Full train stdout stderr stats output	OK	1.399 GB 1.345 GB +66.15 KB/evt	575.4 MB 564.7 MB +0.332 KB/evt	895.8 MB 905.4 MB +66.76 KB/evt	432.4 MB 418.4 MB -98.57 B/evt	log: 161.2 KB .root: 338.4 KB lego_train.root 48.81 MB	1m 14s 59.78ms/evt	33s 26.98ms/evt	1m 3s 50.67ms/evt 84.76%	29s 23.48ms/evt		OK merge dir
Train file generation generation log output	OK											

2808317586	295671				AllPhysics::vAN-20230223_O2-1 /alice/data/2018/LHC18q/000295671/pass3/AOD252/PWGJE/Jets_EMC_PbPb/8638_20230223-1707	100%	23	4		19	10:22	1m 47s	2.042 MB	
2808317648	295668				AllPhysics::vAN-20230223_O2-1 /alice/data/2018/LHC18q/000295668/pass3/AOD252/PWGJE/Jets_EMC_PbPb/8638_20230223-1707	100%	28	19		9	19:05	12m 48s	9.003 MB	
2808318041	295667				AllPhysics::vAN-20230223_O2-1 /alice/data/2018/LHC18q/000295667/pass3/AOD252/PWGJE/Jets_EMC_PbPb/8638_20230223-1707	95%	22	21		1	19:30	10m 11s	9.677 MB	
2808317602	295666				AllPhysics::vAN-20230223_O2-1 /alice/data/2018/LHC18q/000295666/pass3/AOD252/PWGJE/Jets_EMC_PbPb/8638_20230223-1707	100%	20	13		7	11:09	6m 30s	6.042 MB	
2808317386	295665				AllPhysics::vAN-20230223_O2-1 /alice/data/2018/LHC18q/000295665/pass3/AOD252/PWGJE/Jets_EMC_PbPb/8638_20230223-1707	100%	24	10		14	21:45	5m 10s	5.276 MB	

Site activity				
Site	Job eff.	All files	Local files	Remote files
CERN 7 jobs (38.89%)	36.35%	744 files 5.054 MB/s	744 (100%) 5.054 MB/s	
CATANIA 3 jobs (16.67%)	27.75%	4 files 3.995 MB/s	3 (75%) 8.663 MB/s	1 (25%) 1.478 MB/s
TORINO 2 jobs (11.11%)	41.96%	3 files 4.564 MB/s		3 (100%) 4.564 MB/s
ISS 1 jobs (5.556%)	7.901%	4 files 0.573 MB/s	4 (100%) 0.573 MB/s	
JINR 1 jobs (5.556%)	41.69%	7 files 4.287 MB/s	7 (100%) 4.287 MB/s	
KOSICE 1 jobs (5.556%)	65.49%	2 files 6.157 MB/s	2 (100%) 6.157 MB/s	
NIHAM 1 jobs (5.556%)	39.9%	32 files 8.484 MB/s	32 (100%) 8.484 MB/s	
ORNL 1 jobs (5.556%)	54.39%	11 files 5.747 MB/s	11 (100%) 5.747 MB/s	
RRC_KI_T1 1 jobs (5.556%)	48.64%	7 files 5.762 MB/s	7 (100%) 5.762 MB/s	
TOTAL 18 jobs	35.73%	814 files 4.967 MB/s	810 (99.51%) 4.982 MB/s 550.3 GB	4 (0.491%) 2.914 MB/s 2.322 GB

Job status detail

```
2808317289 : trace | log files | resubmit, 5.984 MB PSS, No Swap PSS (22:53 running, 3s saving, 100.1% CPU @ ALICE::KRC_KI_T1::LCG, max RSS: 911 MB, Virt: 911 MB)
2808317290 : trace | log files | resubmit (19:45 running, 6s saving, 96.66% CPU @ ALICE::CNAF::CNAF-DUE, max RSS: 795 MB, Virt: 795 MB)
2808317291 : trace | log files | resubmit, 871.8 MB PSS, No Swap PSS (21:23 running, 1s saving, 95.07% CPU @ ALICE::ISS::ARC, max RSS: 873 MB, Virt: 873 MB)
2808317293 : trace | log files | resubmit (22:52 running, 2s saving, 100% CPU @ ALICE::NIHAM::PBS, max RSS: 867 MB, Virt: 867 MB)
2808317294 : trace | log files | resubmit, 61.98 MB PSS, No Swap PSS (22:44 running, 3s saving, 99.92% CPU @ ALICE::RRC_KI_T1::LCG, max RSS: 797 MB, Virt: 797 MB)
2808317295 : trace | log files | resubmit, 837 MB PSS, No Swap PSS (20:51 running, 1s saving, 94.16% CPU @ ALICE::ISS::ARC, max RSS: 837 MB, Virt: 836 MB)
2808317296 : trace | log files | resubmit (19:24 running, 6s saving, 96.8% CPU @ ALICE::CNAF::LCG, max RSS: 882 MB, Virt: 882 MB)
2808317297 : trace | log files | resubmit, 822.1 MB PSS, No Swap PSS (23:49 running, 1s saving, 98.19% CPU @ ALICE::NIHAM::PBS, max RSS: 912 MB, Virt: 912 MB)
2808317298 : trace | log files | resubmit, 821.6 MB PSS, No Swap PSS (23:46 running, 2s saving, 99.6% CPU @ ALICE::ORNL::ORNL, max RSS: 834 MB, Virt: 834 MB)
2808317299 : trace | log files | resubmit (20:04 running, 6s saving, 96.42% CPU @ ALICE::CNAF::LCG, max RSS: 732 MB, Virt: 732 MB)
2808317301 : trace | log files | resubmit, 852.3 MB PSS, No Swap PSS (23:43 running, 7s saving, 96.51% CPU, max RSS: 960 MB, Virt: 960 MB)
2808317307 : trace | log files | resubmit, 719.1 MB PSS, No Swap PSS (20:05 running, 3s saving, 100.1% CPU @ ALICE::RRC_KI_T1::LCG, max RSS: 719.1 MB, Virt: 719 MB)
2808317312 : trace | log files | resubmit, 830.1 MB PSS, No Swap PSS (20:58 running, 7s saving, 98.2% CPU @ ALICE::CNAF::CNAF-DUE, max RSS: 851 MB, Virt: 851 MB)
2808317314 : trace | log files | resubmit, 831 MB PSS, No Swap PSS (23:13 running, 7s saving, 92.25% CPU @ ALICE::CNAF::CNAF-DUE, max RSS: 886 MB, Virt: 886 MB)
2808317318 : trace | log files | resubmit, 839.8 MB PSS, No Swap PSS (23:49 running, 4s saving, 97.7% CPU @ ALICE::KFKI::LCG, max RSS: 945 MB, Virt: 945 MB)
2808317320 : trace | log files | resubmit, 725 MB PSS, No Swap PSS (23:34 running, 8s saving, 96.48% CPU @ ALICE::KISTI_GSDC::KISTI_GSDC, max RSS: 835 MB, Virt: 835 MB)
```

EXPIRED (6 jobs, 6.25%) : resubmit all

```
2808317243 : trace | resubmit (running for 1d 19:30, 98.64% CPU @ ALICE::UPB::LCG, max RSS: 799 MB, Virt: 799 MB)
2808317246 : trace | resubmit (did not run, 15.21% CPU @ ALICE::RRC_KI_T1::LCG, max RSS: 87 MB, Virt: 87 MB)
2808317270 : trace | resubmit, 852.6 MB PSS, No Swap PSS (running for 1d 15:49, 95.13% CPU @ ALICE::ISS::ARC, max RSS: 869 MB, Virt: 869 MB)
2808317283 : trace | resubmit, 713.8 MB PSS, No Swap PSS (1d 1:59 running, 0s saving, 95.06% CPU @ ALICE::LBL_HPCS::HPCS, max RSS: 812 MB, Virt: 812 MB)
2808317316 : trace | resubmit (running for 1d 15:49, 99.33% CPU @ ALICE::UPB::LCG, max RSS: 760 MB, Virt: 760 MB)
2808317322 : trace | resubmit (running for 1d 13:56, 20.3% CPU @ ALICE::LBL_HPCS::HPCS_Lr, max RSS: 44 MB, Virt: 44 MB)
```

DONE (18 jobs, 18.75%)

```
2808317220 : trace | output dir (3:59 running, 8s saving, 22.14% CPU @ ALICE::CERN::CERN-SIRIUS, max RSS: 1.218 GB, Virt: 1.218 GB)
2808317222 : trace | output dir (2:27 running, 10s saving, 24.64% CPU @ ALICE::CERN::CERN-TRITON, max RSS: 1.299 GB, Virt: 1.299 GB)
2808317229 : trace | output dir (8:31 running, 1m 9s saving, 44.76% CPU @ ALICE::CERN::CERN-SIRIUS, max RSS: 1.845 GB, Virt: 1.845 GB)
2808317235 : trace | output dir (8:12 running, 8s saving, 44.87% CPU @ ALICE::CERN::CERN-TRITON, max RSS: 1.896 GB, Virt: 1.896 GB)
2808317237 : trace | output dir (3:59 running, 10s saving, 19.32% CPU @ ALICE::CERN::CERN-TRITON, max RSS: 1.233 GB, Virt: 1.233 GB)
2808317238 : trace | output dir (1:27 running, 58s saving, 47.25% CPU @ ALICE::CERN::CERN-TRITON, max RSS: 1.157 GB, Virt: 1.157 GB)
2808317242 : trace | output dir (33s running, 59s saving, 22.21% CPU @ ALICE::CERN::CERN-SIRIUS, max RSS: 85 MB, Virt: 85 MB)
2808317254 : trace | output dir (4m 16s running, 48s saving, 33.79% CPU @ ALICE::Catania::Catania_VF, max RSS: 75 MB, Virt: 75 MB)
2808317256 : trace | output dir (2m 4s running, 1m 26s saving, 37.43% CPU @ ALICE::Catania::Catania_VF, max RSS: 80 MB, Virt: 80 MB)
2808317258 : trace | output dir (8m 25s running, 1m 39s saving, 9.913% CPU @ ALICE::Catania::Catania_VF, max RSS: 76 MB, Virt: 76 MB)
2808317274 : trace | output dir (1:11 running, 1m 5s saving, 8.32% CPU @ ALICE::ISS::ARC, max RSS: 1.197 GB, Virt: 1.197 GB)
2808317276 : trace | output dir (20m 5s running, 17s saving, 39.83% CPU @ ALICE::JINR::ARC, max RSS: 1.191 GB, Virt: 1.191 GB)
2808317279 : trace | output dir (5m 19s running, 39s saving, 29.61% CPU @ ALICE::Torino::Torino-HTC, max RSS: 74 MB, Virt: 74 MB)
2808317281 : trace | output dir (4m 17s running, 50s saving, 53.5% CPU @ ALICE::Kosice::ARC, max RSS: 87 MB, Virt: 87 MB)
2808317292 : trace | output dir (44m 45s running, 27s saving, 39.56% CPU @ ALICE::NIHAM::PBS, max RSS: 1.127 GB, Virt: 1.127 GB)
2808317300 : trace | output dir (22m 15s running, 13s saving, 52.26% CPU @ ALICE::ORNL::ORNL, max RSS: 1.069 GB, Virt: 1.069 GB)
2808317308 : trace | output dir (11m 53s running, 15s saving, 44.55% CPU @ ALICE::RRC_KI_T1::LCG, max RSS: 1.019 GB, Virt: 1.019 GB)
2808317310 : trace | output dir (2m 1s running, 51s saving, 42.12% CPU @ ALICE::Torino::Torino-HTC, max RSS: 79 MB, Virt: 79 MB)
```

Test run result

<https://twiki.cern.ch/twiki/bin/viewauth/ALICE/AnalysisTrains>


Train guideline

- Checking the memory of the train before submitting

Most computing centers allow an upper limit of 8GB of virtual and 2GB of resident memory. The train testing page does not disable the 'Run train' button in case the memory footprint is higher, because there are known leaks in the PIDresponse task that show up in the lego tests but not in grid. Due to this you are the main responsible for enforcing the memory rule. The procedure is quite simple:

Full train stdout stderr stats output	OK	Max Avg Slope	4.96 4.81 +82.88	3.794 3.724 +22.72	4.456 4.277 +85.27	3.725 3.645 +18.16	log: 63.42 KB .root: 10.32 MB lego_train.root 172.3 MB	2:03 1,949.72ms/evt	1:59 1,879.71ms/evt	2:02 1,927.61ms/evt 98.87%
---	----	---------------------	------------------------	--------------------------	--------------------------	--------------------------	---	------------------------	------------------------	----------------------------------


- On the 'Full train' line in the test results, check the values of the resident and virtual memory. If these numbers appear in red as in the snapshot above, you should do a more thorough investigation:
 - Click on the 'stats' link in the 'Full train' table cell, this will open a page showing the memory (top left) and CPU consumption





The example above shows a resident memory footprint starting from more than 4GB, with a leak of more than 200MB over 4K events. Such a train should never be submitted. Note that every 100MB beyond the limit of 2GB RSS memory translates to a considerably larger failure rate. For this example most jobs failed (and few nodes were affected).

- Investigate which wagons in the train are responsible, by looking on the same numbers and memory profile on their respective rows in the test report. Typically the 'misbehaved' tasks are the user ones, except the case of using PIDresponse task for meta data sets having many children, due to a known memory leak (affecting much less the grid jobs than the test). The typical memory behavior of such trains (when the user tasks are well behaved) is shown below:




My test train



Test local train



q2 value for centrality



Wide pT range of jet v2

